



Metropolitan Water Reclamation District of Greater Chicago

100 East Erie Street
Chicago, IL 60611

Legislation Details (With Text)

File #: 17-0586 **Version:** 1

Type: Report **Status:** Filed

File created: 5/23/2017 **In control:** Procurement Committee

On agenda: 6/1/2017 **Final action:** 6/1/2017

Title: Report on rejection of bids for Contract 17-689-11, Test and Repair Underground Storage Tanks at Various Locations, estimated cost \$121,100.00

Sponsors:

Indexes:

Code sections:

Attachments:

Date	Ver.	Action By	Action	Result
6/1/2017	1	Board of Commissioners	Published and Filed	Pass
6/1/2017	1	Committee of the Whole	Recommended	Pass

TRANSMITTAL LETTER FOR BOARD MEETING OF JUNE 1, 2017

COMMITTEE ON PROCUREMENT

Mr. David St. Pierre, Executive Director

Report on rejection of bids for Contract 17-689-11, Test and Repair Underground Storage Tanks at Various Locations, estimated cost \$121,100.00

Dear Sir:

On February 17, 2017, the Board of Commissioners authorized the Director of Procurement and Materials Management to advertise for bids, Contract 17-689-11, Test and Repair Underground Storage Tanks at Various Locations.

In response to a public advertisement of March 22, 2017, a bid opening was held on April 18, 2017. The bid tabulation for this contract is:

DJK TECHNOLOGIES, INC. D/B/A	
ACCURATE TANK TECHNOLOGIES	\$158,995.00

Two hundred fifty-eight (258) companies were notified of this contract being advertised and fourteen (14) companies requested specifications.

A review of the sole bid submitted by DJK Technologies, Inc., d/b/a Accurate Tank Technologies revealed that they requested a waiver for the MBE and/or WBE and SBE participation on this contract. A review by the Diversity Administrator indicates that DJK Technologies, Inc., d/b/a Accurate Tank Technologies failed to make a good faith effort to meet the MBE and/or WBE and SBE goal on this contract. The Director of Procurement and Materials Management concurs with the Diversity Administrator and the bid was considered non-

responsive and rejected in accordance with Section 12(e) of the Affirmative Action Ordinance, Revised Appendix D, where the Director determines that a bidder has not made Good Faith Efforts, the Director shall declare the bid submission non-responsive and will reject the bid. The Director of Procurement and Materials Management has informed DJK Technologies, Inc., d/b/a Accurate Tank Technologies of this action.

The contract will be re-advertised as soon as possible.

Recommended, Darlene A. LoCascio, Director of Procurement and Materials Management, DAL:SEB:cm
Respectfully Submitted, Barbara J. McGowan, Chairman Committee on Procurement
Disposition of this agenda item will be documented in the official Regular Board Meeting Minutes of the Board of Commissioners for June 1, 2017