



Metropolitan Water Reclamation District of Greater Chicago

100 East Erie Street
Chicago, IL 60611

Legislation Details (With Text)

File #: 14-1511 **Version:** 1
Type: Report **Status:** Filed
File created: 12/10/2014 **In control:** Procurement Committee
On agenda: 12/18/2014 **Final action:** 12/18/2014
Title: Report on rejection of bids for Contract 15-027-11 Furnish and Deliver Glass and Plastic Labware to Various Locations for a One (1) Year Period, estimated cost \$159,000.00

Sponsors:

Indexes:

Code sections:

Attachments:

Date	Ver.	Action By	Action	Result
12/18/2014	1	Board of Commissioners	Published and Filed	Pass
12/18/2014	1	Committee of the Whole	Recommended	Pass

TRANSMITTAL LETTER FOR BOARD MEETING OF DECEMBER 18, 2014

COMMITTEE ON PROCUREMENT

Mr. David St. Pierre, Executive Director

Report on rejection of bids for Contract 15-027-11 Furnish and Deliver Glass and Plastic Labware to Various Locations for a One (1) Year Period, estimated cost \$159,000.00

Dear Sir:

On September 18, 2014, the Board of Commissioners authorized the Director of Procurement and Materials Management to advertise for bids to Furnish and Deliver Glass and Plastic Labware to Various Locations for a One-Year Period.

In response to a public advertisement of October 1, 2014, a bid opening was held on October 21, 2014. The bid tabulation for this contract is:

GROUP A: GLASS LABWARE

VWR INTERNATIONAL, LLC	*\$23,648.14
THOMAS SCIENTIFIC	\$29,263.21
FISHER SCIENTIFIC COMPANY, LLC	\$29,420.83

GROUP B: PLASTIC LABWARE

VWR INTERNATIONAL, LLC	*\$16,677.35
THOMAS SCIENTIFIC	*\$29,027.21
FISHER SCIENTIFIC COMPANY, LLC	\$58,120.02

GROUP C: COMMERCIAL GLASS AND PLASTIC LABWARE

A DAIGGER & COMPANY, INC.	*\$109,292.36
---------------------------	---------------

THOMAS SCIENTIFIC	\$135,471.54
VWR INTERNATIONAL, LLC	*\$171,009.20
*corrected total	

Four Hundred Thirty One (431) companies were notified of this contract being advertised and seventeen (17) companies requested specifications.

The low bid received for Group A from VWR International, LLC, offered 45 substitutions and 11 were determined to not meet contract specifications and were rejected. The reasons for rejection included wrong classification, incorrect length, and incorrect diameter. Therefore the bid received from VWR International, LLC was rejected. The bids received from Thomas Scientific and Fisher Scientific Company, LLC were deemed non-responsive. Thomas Scientific qualified their bid by stating minimum order quantities on 3 items. Fisher Scientific failed to bid all items within the group. The Director of Procurement and Materials Management has notified VWR International, LLC, Thomas Scientific, and Fisher Scientific, LLC of this action.

The low bid received for Group B from VWR International, LLC, offered 15 substitutions and 3 were determined to not meet contract specifications and were rejected. One item was the incorrect size and the other 2 were the wrong composite material. Therefore the bid received from VWR International, LLC was rejected. The bid received from Thomas Scientific is approximately 16% above the contract's estimated value of \$25,000.00. The bid received from Fisher Scientific Company, LLC is approximately 132% above the contract's estimated value of \$25,000.00. Therefore the bids received from Thomas Scientific and Fisher Scientific Company, LLC were considered too high to award and rejected in the public's best interest. The Director of Procurement and Materials Management has notified VWR International, LLC, Thomas Scientific, and Fisher Scientific, LLC of this action.

The low bid received for Group C from A Daigger & Company, Inc. offered 12 substitutions and 1 was determined to not meet contract specifications and was rejected. The closure of the rejected item was the incorrect size. The rejected item's estimated usage is approximately 33% of the contract's estimated value and therefore cannot be excluded from the contract. The bid received from Thomas Scientific is approximately 33% above the contract's estimated value of \$102,000.00. The bid received from VWR International, LLC is approximately 41% above the contract's estimated value of \$102,000.00. Therefore the bids received from Thomas Scientific and VWR International, LLC were considered too high to award and rejected in the public's best interest. The Director of Procurement and Materials Management has notified A Daigger & Company, Inc., Thomas Scientific, and VWR International, LLC of this action.

This contract will be re-advertised at a future date.

Recommended, Darlene A. LoCascio, Director of Procurement and Materials Management, DAL:SEB:MB:dp
Respectfully Submitted, Barbara J. McGowan, Chairman Committee on Procurement
Disposition of this agenda item will be documented in the official Regular Board Meeting Minutes of the Board of Commissioners for December 18, 2014