



Metropolitan Water Reclamation District of Greater Chicago

100 East Erie Street
Chicago, IL 60611

Legislation Details (With Text)

File #: 18-0390 **Version:** 1

Type: Agenda Item **Status:** Adopted

File created: 4/10/2018 **In control:** Real Estate Development Committee

On agenda: 4/19/2018 **Final action:** 4/19/2018

Title: Authority to issue a five (5) year permit to the U.S. Department of Interior, U.S. Geological Survey and the University of Illinois at Urbana Champaign, as co-permittees, to continue to access, operate, maintain and improve their Chicago Waterway Observatory within an approximate 3' x 6' area of the District's Chicago River Controlling Works South Sluice Gate Building located at DuSable Harbor in Chicago, Illinois. Consideration shall be a nominal fee of \$10.00

Sponsors:

Indexes:

Code sections:

Attachments: 1. Aerial Map.DuSable Harbor P-430.pdf

Date	Ver.	Action By	Action	Result
4/19/2018	1	Board of Commissioners	Approved	Pass
4/19/2018	1	Committee of the Whole	Recommended	Pass

TRANSMITTAL LETTER FOR BOARD MEETING OF APRIL 19, 2018

COMMITTEE ON REAL ESTATE

Mr. David St. Pierre, Executive Director

Authority to issue a five (5) year permit to the U.S. Department of Interior, U.S. Geological Survey and the University of Illinois at Urbana Champaign, as co-permittees, to continue to access, operate, maintain and improve their Chicago Waterway Observatory within an approximate 3' x 6' area of the District's Chicago River Controlling Works South Sluice Gate Building located at DuSable Harbor in Chicago, Illinois. Consideration shall be a nominal fee of \$10.00

Dear Sir:

Since 2008, the Board of Commissioners has issued a series of permits to the U.S. Department of Interior, U.S. Geological Survey ("USGS") and the University of Illinois at Urbana Champaign ("UIUC"), as co-permittees, to access, operate, maintain and improve their Chicago Waterway Observatory ("Observatory") within an approximate 3" x 6" area of the District's Chicago River Controlling Works South Sluice Gate Building located at DuSable Harbor in Chicago, Illinois. The current permit, which was issued for a \$10.00 nominal fee, commenced October 1, 2013, and expires September 30, 2018.

USGS and UIUC have requested a new 5-year permit to continue accessing and operating the Observatory. The current permit allows USGS and UIUC to measure bi-directional flow, stratification, and density pertaining to the Chicago River. Under the new permit, they will also gather water level, water velocity, and water discharge data to support ongoing research into Chicagoland area flooding and water quality.

The District's technical departments have reviewed this request and have no objections thereto. A nominal fee of \$10.00 is recommended as USGS and UIUC are public entities utilizing the property in furtherance of a

public purpose.

It is requested that the Executive Director recommend to the Board of Commissioners that it authorize and approve the issuance of a five (5) year permit to U.S. Department of Interior, U.S. Geological Survey and the University of Illinois at Urbana Champaign, as co-permittees, to continue to access, operate, maintain and improve their Chicago Waterway Observatory within an approximate 3' x 6' area of the District's Chicago River Controlling Works South Sluice Gate Building located at DuSable Harbor in Chicago, Illinois. Consideration shall be a nominal fee of \$10.00.

It is also requested that the Executive Director recommend to the Board of Commissioners that it authorize and direct the Chairman of the Committee on Finance and the Clerk to execute said permit agreement on behalf of the District after it is approved by the General Counsel as to form and legality.

Requested, Susan T. Morakalis, General Counsel, STM:CMM:JW:vp

Recommended, David St. Pierre, Executive Director

Respectfully Submitted, David J. Walsh, Chairman Committee on Real Estate Development

Disposition of this agenda item will be documented in the official Regular Board Meeting Minutes of the Board of Commissioners for April 19, 2018

Attachment