

25-IGA-08

HEAVY DUTY PERMEABLE BLOCK PAVERS, 3-1/8". PAVER JOINTS SHALL BE FILLED WITH APPROVED PERMEABLE AGGREGATE MATERIAL.

SETTING BED AGGREGATE, 1-1/2"

BASE AGGREGATE, 3-3/8"

SUBBASE AGGREGATE, 12"

UNDERDRAIN PIPE, 4"

FILTER FABRIC - WOVEN GEOTEXTILE FABRIC BETWEEN —
BASE AGGREGATE, SUBBASE AGGREGATE AND SUBGRADE
AT BOTH SIDE AND BOTTOM AREAS.

SCARIFY NATIVE SOIL, ALONG ENTIRE BOTTOM OF EXCAVATION.

PROPOSED



545 Plainfield Road, Suite A
Willowbrook, IL 60527
T: (630) 887.8640
F: (630) 887.0132

CITY OF COUNTRYSIDE, ILLINOIS
WARD 2 DEVELOPMENT AT 10701 5TH AVENUE CUTOFF

R E V I S I O N S			
NO.	BY	DATE	DESCRIPTION

	EXHIBIT:
	PROPOSED SITE PLAN

PROJECT NO.	24296
DRAWN/DESIGNED	MCH
CHECKED/APPROVED	JFF

	SCALE 1"=30'
	DATE JULY 2024
ED	FIELD BOOK NO. FILE

SHEET
1
OF
1
SHEETS

Printing: Date 2025-03-06 Time 3:09 PM By mhansen File Path: M:\CountrySide\2024\24296 - 10701 5th Avenue Cutoff - Proposed Site Plan - 3-6-25.dwg DWG: 24296 - Proposed Park